



## SAFETY DATA SHEET ULTRAPREP TLC

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** ULTRAPREP TLC

**Product number** S888

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** Ultraprep TLC is a premium concentrated mild pH pre-conditioning formula suitable for use on most carpets, subject to pre-testing.  
Ultraprep TLC penetrates and removes grease and soil and rinses easily. High concentrate 1:33 dilution delivers cost-effective high quality cleaning and low vapour formulation reduces solvent vapours and odours during cleaning.

#### 1.3. Details of the supplier of the safety data sheet

**Supplier** www.prochem.co.uk  
Prochem Europe Ltd  
Oakcroft Road  
Chessington  
Surrey  
KT9 1RH

Telephone: 020 8974 1515  
Fax: 020 8974 1511  
sales@prochem.co.uk

#### 1.4. Emergency telephone number

**Emergency telephone** 020 8974 1515 (office hours 8am to 5pm Monday to Friday) Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department, who may seek advice from the UK National Poisons Information Service, where our full product details are held.

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

**Physical hazards** Not Classified

**Health hazards** Skin Irrit. 2 - H315 Eye Dam. 1 - H318

**Environmental hazards** Not Classified

**Human health** Causes serious eye damage. Eye contact may cause: Irritation and redness, followed by blurred vision. Profuse watering of the eyes. Causes skin irritation. Prolonged or repeated exposure may cause the following adverse effects: Defatting, drying and cracking of skin. Inhalation may cause: Possible respiratory irritation by wetting agents in atomised spray form. Irritation of nose, throat and airway. Ingestion may cause: nausea irritation

**Environmental** The product is expected to be biodegradable.

## ULTRAPREP TLC

### 2.2. Label elements

#### Pictogram



<b>Signal word</b>	Danger
<b>Hazard statements</b>	H315 Causes skin irritation. H318 Causes serious eye damage.
<b>Precautionary statements</b>	P102 Keep out of reach of children. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/ doctor. P302+P352 IF ON SKIN: Wash with plenty of water.
<b>Contains</b>	Alcohols, C7-21 ethoxylated, Quaternary alkyl methyl amine ethoxylate methyl chloride
<b>Detergent labelling</b>	5 - < 15% non-ionic surfactants, 5 - < 15% phosphates, < 5% anionic surfactants, < 5% cationic surfactants, < 5% perfumes, Contains DMDM Hydantoin, Iodopropynyl butylcarbamate

### 2.3. Other hazards

See section 8 for details of exposure limits.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

<b>Alcohols, C7-21 ethoxylated</b>			<b>5-10%</b>
CAS number: 68991-48-0			
<b>Classification</b>			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
<b>Quaternary alkyl methyl amine ethoxylate methyl chloride</b>			<b>1-5%</b>
CAS number: 70750-47-9			
M factor (Acute) = 1			
<b>Classification</b>			
Acute Tox. 4 - H302			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
Aquatic Acute 1 - H400			
<b>Sodium xylenesulphonate</b>			<b>1-5%</b>
CAS number: 1300-72-7	EC number: 215-090-9	REACH registration number: 01-2119513350-56-XXXX	
<b>Classification</b>			
Eye Irrit. 2 - H319			

## ULTRAPREP TLC

<b>(2-Methoxymethylethoxy)propanol</b>		<b>1-5%</b>
CAS number: 34590-94-8	EC number: 252-104-2	REACH registration number: 01-2119450011-60-XXXX
Substance with a Community workplace exposure limit.		
<b>Classification</b>		
Not Classified		

<b>Trisodium orthophosphate</b>		<b>1-5%</b>
CAS number: 10101-89-0		
<b>Classification</b>		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
STOT SE 3 - H335		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation</b>	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately. Never give anything by mouth to an unconscious person. Do not induce vomiting.
<b>Skin contact</b>	Rinse immediately with plenty of water. Get medical attention if irritation persists after washing.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>Skin contact</b>	Prolonged or repeated exposure may cause the following adverse effects: Defatting, drying and cracking of skin.
<b>Eye contact</b>	Causes serious eye damage. Irritation and redness, followed by blurred vision. Profuse watering of the eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Specific treatments</b>	In the event of contact with eyes or ingestion seek immediate medical help. Treat symptomatically.
----------------------------	--

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire. Water spray, dry powder or carbon dioxide.
-------------------------------------	--

#### 5.2. Special hazards arising from the substance or mixture

<b>Specific hazards</b>	No unusual fire or explosion hazards noted.
<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Acids - organic.

## ULTRAPREP TLC

### 5.3. Advice for firefighters

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Wear protective clothing as described in Section 8 of this safety data sheet. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in closed original container at temperatures between 5°C and 30°C. Keep out of the reach of children.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

#### (2-Methoxymethylethoxy)propanol

Long-term exposure limit (8-hour TWA): WEL 50 ppm 308 mg/m<sup>3</sup>

Sk

WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

### 8.2. Exposure controls

#### Protective equipment



**Appropriate engineering controls**

Provide adequate ventilation.

**Eye/face protection**

Side shield safety glasses are recommended when handling this product.

## ULTRAPREP TLC

<b>Hand protection</b>	Wear protective gloves. It is recommended that gloves are made of the following material: Nitrile rubber. Protective gloves should be inspected for wear before use and replaced regularly in accordance with the manufacturers specifications.
<b>Hygiene measures</b>	Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.
<b>Respiratory protection</b>	Not required in normal use. For situations where recommended exposure limits may be exceeded or where there is a risk of inhalation of fine spray mists, a suitable respirator face mask is recommended.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Clear liquid.
<b>Colour</b>	Green.
<b>Odour</b>	Mintfresh
<b>Odour threshold</b>	Not determined.
<b>pH</b>	pH (concentrated solution): 11.22 pH (diluted solution): 9.4
<b>Melting point</b>	Not determined.
<b>Initial boiling point and range</b>	100°C
<b>Flash point</b>	Not applicable.
<b>Evaporation rate</b>	Not determined.
<b>Upper/lower flammability or explosive limits</b>	Not applicable.
<b>Vapour pressure</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Relative density</b>	1.06
<b>Solubility(ies)</b>	Soluble in water.
<b>Partition coefficient</b>	Not determined.
<b>Auto-ignition temperature</b>	Not determined.
<b>Viscosity</b>	Not determined.
<b>Explosive properties</b>	Not applicable.
<b>Oxidising properties</b>	Not applicable.

#### 9.2. Other information

<b>Other information</b>	None.
--------------------------	-------

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

<b>Reactivity</b>	There are no known reactivity hazards associated with this product.
-------------------	---

#### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
------------------	---

#### 10.3. Possibility of hazardous reactions

## ULTRAPREP TLC

**Possibility of hazardous reactions** Not determined.

### 10.4. Conditions to avoid

**Conditions to avoid** Protect from freezing and direct sunlight. Store in closed original container at temperatures between 5°C and 30°C.

### 10.5. Incompatible materials

**Materials to avoid** Strong oxidising agents. Strong acids.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Acids - organic.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Toxicological effects** Inhalation may cause: Possible respiratory irritation by wetting agents in atomised spray form. Contains organic solvents which in case of overexposure may depress the central nervous system causing dizziness and intoxication. Ingestion. Product is alkaline and may be mildly corrosive to mucous membranes. May cause internal injury. systemic effects

#### Acute toxicity - oral

**ATE oral (mg/kg)** 17,730.5

#### Skin corrosion/irritation

**Skin corrosion/irritation** Prolonged or repeated exposure may cause the following adverse effects:, skin irritation and dermatitis.

#### Serious eye damage/irritation

**Serious eye damage/irritation** Causes serious eye damage. Irritation and redness, followed by blurred vision. Profuse watering of the eyes.

#### Skin sensitisation

**Skin sensitisation** None known.

#### Germ cell mutagenicity

**Genotoxicity - in vivo** No effects expected based upon current data.

#### Carcinogenicity

**Carcinogenicity** No effects expected based upon current data.

#### Reproductive toxicity

**Reproductive toxicity - fertility** No effects expected based upon current data.

### Toxicological information on ingredients.

#### Sodium xylenesulphonate

##### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 7,200.0

**Species** Rat

##### Acute toxicity - dermal

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)** 2,000.0

## ULTRAPREP TLC

**Species** Rabbit

### Acute toxicity - inhalation

**Acute toxicity inhalation (LC<sub>50</sub> dust/mist mg/l)** 6.41

**Species** Rat

**ATE inhalation (dusts/mists mg/l)** 6.41

## SECTION 12: Ecological Information

### 12.1. Toxicity

#### Ecological information on ingredients.

#### Sodium xylenesulphonate

**Acute toxicity - fish** LC<sub>50</sub>, : 1000 mg/l,

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, : 1000 mg/l,

**Acute toxicity - aquatic plants** IC<sub>50</sub>, : 230 mg/l,

### 12.2. Persistence and degradability

**Persistence and degradability** The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** Not known.

**Partition coefficient** Not determined.

### 12.4. Mobility in soil

**Mobility** The product is soluble in water.

### 12.5. Results of PBT and vPvB assessment

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Empty containers should be rinsed with water then crushed and disposed of at legal waste disposal site.

## SECTION 14: Transport information

### 14.1. UN number

## ULTRAPREP TLC

Not classified for transportation.

### 14.2. UN proper shipping name

None.

### 14.3. Transport hazard class(es)

None.

**ADR/RID class** -

**IMDG class** -

### 14.4. Packing group

None.

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

None.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

**Transport in bulk according to** Not applicable.

**Annex II of MARPOL 73/78  
and the IBC Code**

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**National regulations** The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

**General information** Telephone 020 8974 1515

**Revision comments** NOTE: Lines within the margin indicate significant changes from the previous revision.

**Revision date** 14/10/2016

**Revision** 5

**Supersedes date** 25/09/2015

**Signature** Aaron Saunders

**Please note:** Where abbreviations have been used elsewhere the full text has been written below, for the classification of the product please refer to section 2.



## ULTRAPREP TLC

### **Hazard statements in full**

H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.  
H400 Very toxic to aquatic life.

For additional information on safety, training and use of this product, contact the supplier. This product is intended for professional use only. The information given is intended to be of assistance to users but is without guarantee. Variations can occur in application and users are advised to conduct their own tests. Suggestions for use neither give nor imply any guarantee as to the intended use.